

Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

5,000 Miles or 4 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

10,000 Miles or 8 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

7,500 Miles or 6 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

15,000 Miles or 12 Months										
15,000 Miles or 12 Months										
<input type="checkbox"/> Replace engine oil and oil filter										
<input type="checkbox"/> Rotate tires										
<input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna)										
<input type="checkbox"/> Inspect the following: <table><tr><td>— Automatic transmission fluid</td><td>— Drive shaft boots</td></tr><tr><td>— Ball joints and dust covers</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake lines and hoses</td><td>— Steering gear box</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering linkage</td></tr><tr><td>— Differential oil</td><td></td></tr></table>	— Automatic transmission fluid	— Drive shaft boots	— Ball joints and dust covers	— Exhaust pipes and mountings	— Brake lines and hoses	— Steering gear box	— Brake linings/drums and brake pads/discs	— Steering linkage	— Differential oil	
— Automatic transmission fluid	— Drive shaft boots									
— Ball joints and dust covers	— Exhaust pipes and mountings									
— Brake lines and hoses	— Steering gear box									
— Brake linings/drums and brake pads/discs	— Steering linkage									
— Differential oil										
Additional Maintenance Items for Special Operating Conditions:*										
<input type="checkbox"/> Inspect engine air filter										
<input type="checkbox"/> Inspect nuts and bolts on chassis and body										
<input type="checkbox"/> Replace automatic transmission fluid										
<input type="checkbox"/> Replace differential oil										

DEALER SERVICE VERIFICATION

Date: _____

Mileage: _____

TOYOTA
GENUINE PARTS

Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

20,000 Miles or 16 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

25,000 Miles or 20 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

22,500 Miles or 18 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

30,000 Miles or 24 Months	
30,000 Miles or 24 Months	
<input type="checkbox"/> Replace engine air filter	<input type="checkbox"/> Replace engine coolant
<input type="checkbox"/> Replace engine oil and oil filter	<input type="checkbox"/> Rotate tires
<input type="checkbox"/> Replace non-platinum spark plugs (Corolla, Paseo, Tercel) ¹	
<input type="checkbox"/> Repack front wheel bearings (Paseo, Tercel)	
<input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna)	
<input type="checkbox"/> Inspect the following:	
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Drive shaft boots
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Exhaust pipes and mountings
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Fuel tank cap gasket
<input type="checkbox"/> Differential oil	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive belts (non-ribbed)	<input type="checkbox"/> Steering linkage
<input type="checkbox"/> Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses	<input type="checkbox"/> Transmission fluid or oil
Additional Maintenance Items for Special Operating Conditions:*	
<input type="checkbox"/> Inspect nuts and bolts on body and chassis	
<input type="checkbox"/> Replace differential oil	
<input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____

TOYOTA
QUALITY SERVICE

¹ Required under the terms of the Emission Control Warranty.

Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

35,000 Miles or 28 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

40,000 Miles or 32 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

37,500 Miles or 30 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

45,000 Miles or 36 Months										
45,000 Miles or 36 Months										
<input type="checkbox"/> Replace engine oil and oil filter										
<input type="checkbox"/> Rotate tires										
<input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna)										
<input type="checkbox"/> Inspect the following: <table><tr><td>— Automatic transmission fluid</td><td>— Drive shaft boots</td></tr><tr><td>— Ball joints and dust covers</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake lines and hoses</td><td>— Steering gear box</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering linkage</td></tr><tr><td>— Differential oil</td><td></td></tr></table>	— Automatic transmission fluid	— Drive shaft boots	— Ball joints and dust covers	— Exhaust pipes and mountings	— Brake lines and hoses	— Steering gear box	— Brake linings/drums and brake pads/discs	— Steering linkage	— Differential oil	
— Automatic transmission fluid	— Drive shaft boots									
— Ball joints and dust covers	— Exhaust pipes and mountings									
— Brake lines and hoses	— Steering gear box									
— Brake linings/drums and brake pads/discs	— Steering linkage									
— Differential oil										
Additional Maintenance Items for Special Operating Conditions:*										
<input type="checkbox"/> Inspect engine air filter										
<input type="checkbox"/> Inspect nuts and bolts on chassis and body										
<input type="checkbox"/> Replace differential oil										
<input type="checkbox"/> Replace automatic transmission fluid										

DEALER SERVICE VERIFICATION

Date: _____

Mileage: _____



Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

50,000 Miles or 40 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

55,000 Miles or 44 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

52,500 Miles or 42 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

60,000 Miles or 48 Months	
60,000 Miles or 48 Months	
<input type="checkbox"/> Replace engine air filter <input type="checkbox"/> Replace engine coolant <input type="checkbox"/> Replace engine oil and oil filter <input type="checkbox"/> Rotate tires <input type="checkbox"/> Replace platinum spark plugs ¹ <input type="checkbox"/> Replace non-platinum spark plugs (Corolla, Paseo, Tercel) ¹ <input type="checkbox"/> Repack front wheel bearings (Paseo, Tercel) <input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna) <input type="checkbox"/> Inspect the following: ___ Ball joints and dust covers ___ Drive shaft boots ___ Brake lines and hoses ___ Engine valves ___ Brake linings/drums and brake pads/discs ___ Exhaust pipes and mountings ___ Charcoal canister ² ___ Differential oil ___ Fuel tank cap gasket ___ Drive belts ___ Steering gear box ___ Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses ___ Steering linkage ___ Transmission fluid or oil	
Additional Maintenance Items for Special Operating Conditions:* <input type="checkbox"/> Inspect nuts and bolts on body and chassis <input type="checkbox"/> Replace differential oil <input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



¹ Required under the terms of the Emission Control Warranty.

² Inspect at 60,000 miles or 72 months, whichever comes first, for Avalon, 6-cyl. Camry, 6-cyl. Camry Solara, Paseo, Sienna and Tercel. Required only for vehicles in California, Massachusetts and New York.

Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

65,000 Miles or 52 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

70,000 Miles or 56 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

67,500 Miles or 54 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

75,000 Miles or 60 Months										
75,000 Miles or 60 Months										
<input type="checkbox"/> Replace engine oil and oil filter										
<input type="checkbox"/> Rotate tires										
<input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna)										
<input type="checkbox"/> Inspect the following: <table><tbody><tr><td>— Automatic transmission fluid</td><td>— Drive belts</td></tr><tr><td>— Ball joints and dust covers</td><td>— Drive shaft boots</td></tr><tr><td>— Brake lines and hoses</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering gear box</td></tr><tr><td>— Differential oil</td><td>— Steering linkage</td></tr></tbody></table>	— Automatic transmission fluid	— Drive belts	— Ball joints and dust covers	— Drive shaft boots	— Brake lines and hoses	— Exhaust pipes and mountings	— Brake linings/drums and brake pads/discs	— Steering gear box	— Differential oil	— Steering linkage
— Automatic transmission fluid	— Drive belts									
— Ball joints and dust covers	— Drive shaft boots									
— Brake lines and hoses	— Exhaust pipes and mountings									
— Brake linings/drums and brake pads/discs	— Steering gear box									
— Differential oil	— Steering linkage									
Additional Maintenance Items for Special Operating Conditions:*										
<input type="checkbox"/> Inspect engine air filter										
<input type="checkbox"/> Inspect nuts and bolts on chassis and body										
<input type="checkbox"/> Replace differential oil										
<input type="checkbox"/> Replace automatic transmission fluid										

DEALER SERVICE VERIFICATION

Date: _____

Mileage: _____

TOYOTA
GENUINE PARTS

Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

80,000 Miles or 64 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

85,000 Miles or 68 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

82,500 Miles or 66 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

90,000 Miles or 72 Months	
90,000 Miles or 72 Months	
<input type="checkbox"/> Replace engine air filter <input type="checkbox"/> Replace engine coolant	
<input type="checkbox"/> Replace engine oil and oil filter <input type="checkbox"/> Rotate tires	
<input type="checkbox"/> Replace non-platinum spark plugs (Corolla, Paseo, Tercel) ¹	
<input type="checkbox"/> Repack front wheel bearings (Paseo, Tercel)	
<input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna)	
<input type="checkbox"/> Replace timing belt (except Corolla)	
<input type="checkbox"/> Inspect the following:	
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Drive shaft boots
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Exhaust pipes and mountings
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Fuel tank cap gasket
<input type="checkbox"/> Differential oil	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive belts (non-ribbed)	<input type="checkbox"/> Steering linkage
<input type="checkbox"/> Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses	<input type="checkbox"/> Transmission fluid or oil
Additional Maintenance Items for Special Operating Conditions:*	
<input type="checkbox"/> Inspect nuts and bolts on body and chassis	
<input type="checkbox"/> Replace differential oil	
<input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____

TOYOTA
QUALITY SERVICE

¹ Required under the terms of the Emission Control Warranty.

Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

95,000 Miles or 76 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

100,000 Miles or 80 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

97,500 Miles or 78 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

105,000 Miles or 84 Months										
105,000 Miles or 84 Months										
<input type="checkbox"/> Replace engine oil and oil filter										
<input type="checkbox"/> Rotate tires										
<input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna)										
<input type="checkbox"/> Inspect the following: <table><tr><td>— Automatic transmission fluid</td><td>— Drive belts</td></tr><tr><td>— Ball joints and dust covers</td><td>— Drive shaft boots</td></tr><tr><td>— Brake lines and hoses</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering gear box</td></tr><tr><td>— Differential oil</td><td>— Steering linkage</td></tr></table>	— Automatic transmission fluid	— Drive belts	— Ball joints and dust covers	— Drive shaft boots	— Brake lines and hoses	— Exhaust pipes and mountings	— Brake linings/drums and brake pads/discs	— Steering gear box	— Differential oil	— Steering linkage
— Automatic transmission fluid	— Drive belts									
— Ball joints and dust covers	— Drive shaft boots									
— Brake lines and hoses	— Exhaust pipes and mountings									
— Brake linings/drums and brake pads/discs	— Steering gear box									
— Differential oil	— Steering linkage									
Additional Maintenance Items for Special Operating Conditions:*										
<input type="checkbox"/> Inspect engine air filter										
<input type="checkbox"/> Inspect nuts and bolts on chassis and body										
<input type="checkbox"/> Replace differential oil										
<input type="checkbox"/> Replace automatic transmission fluid										
DEALER SERVICE VERIFICATION										
Date: _____										
Mileage: _____										



Maintenance Log: Cars & Sienna

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

110,000 Miles or 88 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

115,000 Miles or 92 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Re-torque drive shaft flange bolts (Sienna)

DEALER SERVICE VERIFICATION

Date:

Mileage:

112,500 Miles or 90 Months*

- Replace engine oil and oil filter
- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: Cars & Sienna

120,000 Miles or 96 Months	
120,000 Miles or 96 Months	
<input type="checkbox"/> Replace engine air filter <input type="checkbox"/> Replace engine coolant <input type="checkbox"/> Replace engine oil and oil filter <input type="checkbox"/> Rotate tires <input type="checkbox"/> Replace platinum spark plugs ¹ <input type="checkbox"/> Replace non-platinum spark plugs (Corolla, Paseo, Tercel) ¹ <input type="checkbox"/> Repack front wheel bearings (Paseo, Tercel) <input type="checkbox"/> Re-torque drive shaft flange bolts (Sienna) <input type="checkbox"/> Inspect the following: ___ Ball joints and dust covers ___ Drive shaft boots ___ Brake lines and hoses ___ Engine valves ___ Brake linings/drums and brake pads/discs ___ Exhaust pipes and mountings ___ Charcoal canister ² ___ Differential oil ___ Fuel tank cap gasket ___ Drive belts ___ Steering gear box ___ Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses ___ Steering linkage ___ Transmission fluid or oil	
Additional Maintenance Items for Special Operating Conditions:* <input type="checkbox"/> Inspect nuts and bolts on body and chassis <input type="checkbox"/> Replace differential oil <input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____

120 Months	
120 Months	
<input type="checkbox"/> Inspect SRS Air Bag	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



¹ Required under the terms of the Emission Control Warranty.

² Inspect at 120,000 miles or 144 months, whichever comes first, for Avalon, 6-cyl. Camry, 6-cyl. Camry Solara, Paseo, Sienna and Tercel. Required only for vehicles in California, Massachusetts and New York.

Maintenance Log: SUVs & Tacoma

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

5,000 Miles or 4 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

10,000 Miles or 8 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

7,500 Miles or 6 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

15,000 Miles or 12 Months											
15,000 Miles or 12 Months											
<input type="checkbox"/> Replace engine oil and oil filter											
<input type="checkbox"/> Rotate tires											
<input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)											
<input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)											
<input type="checkbox"/> Inspect the following: <table><tbody><tr><td>— Automatic transmission fluid</td><td>— Differential oil</td></tr><tr><td>— Ball joints and dust covers</td><td>— Drive shaft boots</td></tr><tr><td>— Brake lines and hoses</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering gear box</td></tr><tr><td>— Limited-slip differential oil (Land Cruiser, 4WD RAV4)¹</td><td>— Steering linkage</td></tr></tbody></table>		— Automatic transmission fluid	— Differential oil	— Ball joints and dust covers	— Drive shaft boots	— Brake lines and hoses	— Exhaust pipes and mountings	— Brake linings/drums and brake pads/discs	— Steering gear box	— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage
— Automatic transmission fluid	— Differential oil										
— Ball joints and dust covers	— Drive shaft boots										
— Brake lines and hoses	— Exhaust pipes and mountings										
— Brake linings/drums and brake pads/discs	— Steering gear box										
— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage										
Additional Maintenance Items for Special Operating Conditions:*											
<input type="checkbox"/> Inspect engine air filter											
<input type="checkbox"/> Inspect nuts and bolts on chassis and body											
<input type="checkbox"/> Replace automatic transmission fluid											
<input type="checkbox"/> Replace differential oil (including limited-slip)											
DEALER SERVICE VERIFICATION	Date: _____										
	Mileage: _____										

TOYOTA
GENUINE PARTS

¹ If vehicle is equipped with limited-slip differential.

Maintenance Log: SUVs & Tacoma

To determine the appropriate maintenance interval for your vehicle, see page 17.

20,000 Miles or 16 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

25,000 Miles or 20 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

22,500 Miles or 18 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

30,000 Miles or 24 Months	
30,000 Miles or 24 Months	
<input type="checkbox"/> Replace engine air filter	<input type="checkbox"/> Replace engine coolant
<input type="checkbox"/> Replace engine oil and oil filter	<input type="checkbox"/> Rotate tires
<input type="checkbox"/> Replace limited-slip differential oil (Land Cruiser) ¹	
<input type="checkbox"/> Replace non-platinum spark plugs (Tacoma, 4Runner) ²	
<input type="checkbox"/> Repack front wheel bearings (Tacoma 2WD)	
<input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)	
<input type="checkbox"/> Lubricate drive shaft bushings (4WD Tacoma without ADD)	
<input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)	
<input type="checkbox"/> Inspect the following:	
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Exhaust pipes and mountings
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Fuel tank cap gasket
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Limited-slip differential oil (4WD RAV4) ¹
<input type="checkbox"/> Differential oil	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive belts (non-ribbed)	<input type="checkbox"/> Steering linkage
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Transfer case oil (4WD models)
<input type="checkbox"/> Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses	<input type="checkbox"/> Transmission fluid or oil
Additional Maintenance Items for Special Operating Conditions:*	
<input type="checkbox"/> Inspect nuts and bolts on body and chassis	
<input type="checkbox"/> Replace differential oil (including limited-slip)	
<input type="checkbox"/> Replace transfer case oil (4WD models)	
<input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____

TOYOTA
QUALITY SERVICE

¹ If vehicle is equipped with limited-slip differential.

² Required under the terms of the Emission Control Warranty.

Maintenance Log: SUVs & Tacoma

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

35,000 Miles or 28 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

40,000 Miles or 32 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

37,500 Miles or 30 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

45,000 Miles or 36 Months										
45,000 Miles or 36 Months										
<input type="checkbox"/> Replace engine oil and oil filter										
<input type="checkbox"/> Rotate tires										
<input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)										
<input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)										
<input type="checkbox"/> Inspect the following: <table><tr><td>— Automatic transmission fluid</td><td>— Differential oil</td></tr><tr><td>— Ball joints and dust covers</td><td>— Drive shaft boots</td></tr><tr><td>— Brake lines and hoses</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering gear box</td></tr><tr><td>— Limited-slip differential oil (Land Cruiser, 4WD RAV4)¹</td><td>— Steering linkage</td></tr></table>	— Automatic transmission fluid	— Differential oil	— Ball joints and dust covers	— Drive shaft boots	— Brake lines and hoses	— Exhaust pipes and mountings	— Brake linings/drums and brake pads/discs	— Steering gear box	— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage
— Automatic transmission fluid	— Differential oil									
— Ball joints and dust covers	— Drive shaft boots									
— Brake lines and hoses	— Exhaust pipes and mountings									
— Brake linings/drums and brake pads/discs	— Steering gear box									
— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage									
Additional Maintenance Items for Special Operating Conditions:*										
<input type="checkbox"/> Inspect engine air filter										
<input type="checkbox"/> Inspect nuts and bolts on chassis and body										
<input type="checkbox"/> Replace automatic transmission fluid										
<input type="checkbox"/> Replace differential oil (including limited-slip)										
DEALER SERVICE VERIFICATION										
Date: _____										
Mileage: _____										



¹ If vehicle is equipped with limited-slip differential.

Maintenance Log: SUVs & Tacoma

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

50,000 Miles or 40 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

55,000 Miles or 44 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

52,500 Miles or 42 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

60,000 Miles or 48 Months	
60,000 Miles or 48 Months	
<input type="checkbox"/> Replace engine air filter <input type="checkbox"/> Replace engine coolant <input type="checkbox"/> Replace engine oil and oil filter <input type="checkbox"/> Rotate tires <input type="checkbox"/> Replace limited-slip differential oil (Land Cruiser, RAV4 4WD) ¹ <input type="checkbox"/> Replace platinum spark plugs (RAV4) ² <input type="checkbox"/> Replace non-platinum spark plugs (Tacoma, 4Runner) ² <input type="checkbox"/> Repack front wheel bearings (Tacoma 2WD) <input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4) <input type="checkbox"/> Lubricate drive shaft bushings (4WD Tacoma without ADD) <input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser) <input type="checkbox"/> Inspect the following: — Ball joints and dust covers — Drive shaft boots — Brake lines and hoses — Engine valves — Brake linings/drums and brake pads/discs — Exhaust pipes and mountings — Charcoal canister ³ — Fuel tank cap gasket — Differential oil — Steering gear box — Drive belts — Steering linkage — Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses — Transfer case oil (4WD models) — Transmission fluid or oil	
Additional Maintenance Items for Special Operating Conditions:* <input type="checkbox"/> Inspect nuts and bolts on body and chassis <input type="checkbox"/> Replace differential oil <input type="checkbox"/> Replace transfer case oil (4WD models) <input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



¹ If vehicle is equipped with limited-slip differential.

² Required under the terms of the Emission Control Warranty.

³ Inspect at 60,000 miles or 72 months, whichever comes first.
Required only for vehicles in California, Massachusetts and New York.

Maintenance Log: SUVs & Tacoma

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

65,000 Miles or 52 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

70,000 Miles or 56 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

67,500 Miles or 54 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

75,000 Miles or 60 Months											
75,000 Miles or 60 Months											
<input type="checkbox"/> Replace engine oil and oil filter											
<input type="checkbox"/> Rotate tires											
<input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)											
<input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)											
<input type="checkbox"/> Inspect the following: <table><tbody><tr><td>— Automatic transmission fluid</td><td>— Differential oil</td></tr><tr><td>— Ball joints and dust covers</td><td>— Drive shaft boots</td></tr><tr><td>— Brake lines and hoses</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering gear box</td></tr><tr><td>— Limited-slip differential oil (Land Cruiser, 4WD RAV4)¹</td><td>— Steering linkage</td></tr></tbody></table>		— Automatic transmission fluid	— Differential oil	— Ball joints and dust covers	— Drive shaft boots	— Brake lines and hoses	— Exhaust pipes and mountings	— Brake linings/drums and brake pads/discs	— Steering gear box	— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage
— Automatic transmission fluid	— Differential oil										
— Ball joints and dust covers	— Drive shaft boots										
— Brake lines and hoses	— Exhaust pipes and mountings										
— Brake linings/drums and brake pads/discs	— Steering gear box										
— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage										
Additional Maintenance Items for Special Operating Conditions:*											
<input type="checkbox"/> Inspect engine air filter											
<input type="checkbox"/> Inspect nuts and bolts on chassis and body											
<input type="checkbox"/> Replace automatic transmission fluid											
<input type="checkbox"/> Replace differential oil (including limited-slip)											
DEALER SERVICE VERIFICATION	Date: _____										
	Mileage: _____										

TOYOTA
GENUINE PARTS

¹ If vehicle is equipped with limited-slip differential.

Maintenance Log: SUVs & Tacoma

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

80,000 Miles or 64 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

85,000 Miles or 68 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

82,500 Miles or 66 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

90,000 Miles or 72 Months	
90,000 Miles or 72 Months	
<input type="checkbox"/> Replace engine air filter <input type="checkbox"/> Replace engine coolant <input type="checkbox"/> Replace engine oil and oil filter <input type="checkbox"/> Rotate tires <input type="checkbox"/> Replace limited-slip differential oil (Land Cruiser) ¹ <input type="checkbox"/> Replace iridium spark plugs (Land Cruiser) ² <input type="checkbox"/> Replace non-platinum spark plugs (Tacoma, 4Runner) ² <input type="checkbox"/> Replace timing belt (except 4-cyl. Tacoma and 4Runner) <input type="checkbox"/> Repack front wheel bearings (Tacoma 2WD) <input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4) <input type="checkbox"/> Lubricate drive shaft bushings (4WD Tacoma without ADD) <input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser) <input type="checkbox"/> Inspect the following: <div style="display: flex; justify-content: space-between;"> <div style="flex: 1;"> <input type="checkbox"/> Ball joints and dust covers <input type="checkbox"/> Brake lines and hoses <input type="checkbox"/> Brake linings/drums and brake pads/discs <input type="checkbox"/> Differential oil <input type="checkbox"/> Drive belts <input type="checkbox"/> Drive shaft boots <input type="checkbox"/> Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses </div> <div style="flex: 1;"> <input type="checkbox"/> Exhaust pipes and mountings <input type="checkbox"/> Fuel tank cap gasket <input type="checkbox"/> Limited-slip differential oil (4WD RAV4)¹ <input type="checkbox"/> Steering gear box <input type="checkbox"/> Steering linkage <input type="checkbox"/> Transfer case oil (4WD models) <input type="checkbox"/> Transmission fluid or oil </div> </div>	
Additional Maintenance Items for Special Operating Conditions:* <input type="checkbox"/> Inspect nuts and bolts on body and chassis <input type="checkbox"/> Replace differential oil (including limited-slip) <input type="checkbox"/> Replace transfer case oil (4WD models) <input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____ Mileage: _____

TOYOTA
QUALITY SERVICE

¹ If vehicle is equipped with limited-slip differential.

² Required under the terms of the Emission Control Warranty.

Maintenance Log: SUVs & Tacoma

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

95,000 Miles or 76 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

100,000 Miles or 80 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

97,500 Miles or 78 Months

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

105,000 Miles or 84 Months										
105,000 Miles or 84 Months										
<input type="checkbox"/> Replace engine oil and oil filter										
<input type="checkbox"/> Rotate tires										
<input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)										
<input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)										
<input type="checkbox"/> Inspect the following: <table><tr><td>— Automatic transmission fluid</td><td>— Differential oil</td></tr><tr><td>— Ball joints and dust covers</td><td>— Drive shaft boots</td></tr><tr><td>— Brake lines and hoses</td><td>— Exhaust pipes and mountings</td></tr><tr><td>— Brake linings/drums and brake pads/discs</td><td>— Steering gear box</td></tr><tr><td>— Limited-slip differential oil (Land Cruiser, 4WD RAV4)¹</td><td>— Steering linkage</td></tr></table>	— Automatic transmission fluid	— Differential oil	— Ball joints and dust covers	— Drive shaft boots	— Brake lines and hoses	— Exhaust pipes and mountings	— Brake linings/drums and brake pads/discs	— Steering gear box	— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage
— Automatic transmission fluid	— Differential oil									
— Ball joints and dust covers	— Drive shaft boots									
— Brake lines and hoses	— Exhaust pipes and mountings									
— Brake linings/drums and brake pads/discs	— Steering gear box									
— Limited-slip differential oil (Land Cruiser, 4WD RAV4) ¹	— Steering linkage									
Additional Maintenance Items for Special Operating Conditions:*										
<input type="checkbox"/> Inspect engine air filter										
<input type="checkbox"/> Inspect nuts and bolts on chassis and body										
<input type="checkbox"/> Replace automatic transmission fluid										
<input type="checkbox"/> Replace differential oil (including limited-slip)										
DEALER SERVICE VERIFICATION										
Date: _____										
Mileage: _____										



Maintenance Log: SUVs & Tacoma

5,000-Mile Maintenance Intervals

7,500-Mile Maintenance Intervals

To determine the appropriate maintenance interval for your vehicle, see page 17.

110,000 Miles or 88 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

115,000 Miles or 92 Months

- Replace engine oil and oil filter

Additional Maintenance Items for Special Operating Conditions:*

- Inspect the following:

<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Engine air filter
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Nuts and bolts on chassis and body
<input type="checkbox"/> Drive shaft boots	<input type="checkbox"/> Steering linkage

- Rotate tires

- Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4)

- Re-torque drive shaft flange bolts (all 4WD except Land Cruiser)

DEALER SERVICE VERIFICATION

Date:

Mileage:

112,500 Miles or 90 Months*

- Replace engine oil and oil filter

- Rotate tires

DEALER SERVICE VERIFICATION

Date:

Mileage:

* Specific services apply to specific operating conditions. See pages 18–19 for details.

Maintenance Log: SUVs & Tacoma

120,000 Miles or 96 Months	
120,000 Miles or 96 Months	
<input type="checkbox"/> Replace engine air filter <input type="checkbox"/> Replace engine coolant <input type="checkbox"/> Replace engine oil and oil filter <input type="checkbox"/> Rotate tires <input type="checkbox"/> Replace limited-slip differential oil (Land Cruiser, RAV4 4WD) ¹ <input type="checkbox"/> Replace platinum spark plugs (RAV4) ² <input type="checkbox"/> Replace non-platinum spark plugs (Tacoma, 4Runner) ² <input type="checkbox"/> Repack front wheel bearings (Tacoma 2WD) <input type="checkbox"/> Lubricate propeller shaft and re-torque bolts (all 4WD except RAV4) <input type="checkbox"/> Lubricate drive shaft bushings (4WD Tacoma without ADD) <input type="checkbox"/> Re-torque drive shaft flange bolts (all 4WD except Land Cruiser) <input type="checkbox"/> Inspect the following: — Ball joints and dust covers — Engine valves — Brake lines and hoses — Exhaust pipes and mountings — Brake linings/drums and brake pads/discs — Fuel tank cap gasket — Charcoal canister ³ — Steering gear box — Differential oil — Steering linkage — Drive belts — Transfer case oil (4WD models) — Drive shaft boots — Transmission fluid or oil — Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses	
Additional Maintenance Items for Special Operating Conditions:* <input type="checkbox"/> Inspect nuts and bolts on body and chassis <input type="checkbox"/> Replace differential oil <input type="checkbox"/> Replace transfer case oil (4WD models) <input type="checkbox"/> Replace transmission fluid or oil	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____

120 Months	
120 Months	
<input type="checkbox"/> Inspect SRS Air Bag	
DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



¹ If vehicle is equipped with limited-slip differential.

² Required under the terms of the Emission Control Warranty.

³ Inspect at 120,000 miles or 144 months, whichever comes first.
Required only for vehicles in California, Massachusetts and New York.